

Alternative Measures to Reduce Carbon Dioxide Emissions in the Republic of Cuba

Daniel D. Guerra¹, Emiliia V. Iakovleva^{1*}, Andrey Y. Shklyarskiy¹

¹ Department of General Electrical Engineering, Saint-Petersburg Mining University, 2, 21-st Line, Vasilyevsky Island, 199106, St. Petersburg, Russian Federation.

* Corresponding author's e-mail: em88mi@gmail.com

ABSTRACT

In this paper, one of the ways to reduce carbon dioxide (CO₂) emissions into the atmosphere through the use of various types of solar power plants (SES) was considered. The paper provides an overview of the energy resources that currently exist in the Republic of Cuba, as well as the new investments made by the country in order to introduce a more extensive use of the renewable energy sources. The paper also describes the benefits of renewable energy that help to reduce the CO₂ emissions into the environment.

Keywords: carbon dioxide, renewable energy sources, Republic of Cuba, solar plant

INTRODUCTION

CO₂ emission in the air has grown rapidly since the measurements began almost 60 years ago, increasing from 316 parts per million (ppm, the number of units of one substance per million units) in 1958 to more than 400 ppm today. At the moment, the data for the previous year are not available, but the latest data for 2016 confirm an annual record trend: when 403.3 ppm is reached, the amount of carbon dioxide (CO₂) in the atmosphere has reached the highest level in the last 800 000 years. This is the second year in a row that goes beyond the turning point, which exceeded 400 ppm in 2015, when at the beginning of the industrial revolution it was 278 ppm (Zmami and Salha6,2020).

According to the data obtained by the National Oceanic and Atmospheric Administration EE. UU (NOAA), the gas level growth has not declined in the recent decades. It has been established that a safe level of carbon dioxide in the atmosphere is 350 ppm. The consequences of exceeding this level are devastating storms and tsunamis, droughts, forest fires. Over the past year, fires took place on the territory of Russia, which led to disastrous consequences – several

million hectares of forest burned out, thousands of different species of animals died, and damage was caused to the population. Massive fires in Australia continue from 2019 to now, which has led to the deaths of more than 1 million animals, according to estimates. It should be noted that during the forest fires, an enormous amount of carbon dioxide is also emitted into the atmosphere, while the burning out of forests leads to a decrease in the cover that can absorb the CO₂ from the atmosphere. Therefore, reducing the industrial CO₂ emissions into the atmosphere is an extremely urgent task.

There are many factors that contribute to the carbon dioxide emissions into the atmosphere – the gas emissions produced by the public or private transport, the gas emissions from the electricity production using the non-renewable energy sources, the natural gas emissions from the environment and many others.

Therefore, the technological processes of the last years of this decade and the last decade have been focused on the development of technologies in all areas in order to increase the efficiency of industrial processes, including agriculture, electricity production, transport, among other things (Abramovich, 2018).

An example of the technological advances in the electricity generation sector is the use of the renewable energy sources (Kirsanova et al, 2018). Various technologies for the use of solar energy in this area have been developed around the world, including the solar modules from various materials with greater efficiency in collecting solar energy, solar tracking systems, solar thermal systems, as well as developing various components of these systems. For example, during the period of the photovoltaic modules development, the efficiency of the solar panel was 16–17%, while today the panels with an efficiency of 20–23% are widely available. In addition, there are single samples with an efficiency reaching 50%.

The electrical potential of the Republic of Cuba

There are currently 10 factories in Cuba (Table 1) that have power plants for generating electricity with a total installed electric capacity of 2.5 GW. About half of all the energy facilities in Cuba were built with the full or partial assistance of the USSR, and subsequently Russia. In addition to 10 thermoelectric power plants, there were 1,405 generator sets in the country until 2017 (855 diesel groups and 550 Fuel groups).

Installed capacity of renewable energy in the Republic of Cuba.

In accordance with the policies adopted by the Government of the Republic of Cuba, namely, the government commission for the development of the renewable energy policies for the period 2010–2030, it is planned to put into operation the power plants based on the renewable energy sources with an installed capacity of 2269 MW. Bulding the bioelectric power plants

with a capacity of 755 MW, direct conversion solar power plants with a capacity of 700 MW (Figure 1), wind power generators with a total capacity of 633 MW is planned, in addition to increasing the installed capacity of the existing small hydropower plants by 56 MW.

Today, the Republic of Cuba is looking for the alternatives to fossil fuels, using the renewable energy sources. Recently, in the Republic of Cuba in 16 provinces, the design and construction of 65 solar power plants (capacity of 159.3 MW) was carried out. At the expense of the state investments, it is planned to build 15 solar power plants (capacity 42 MW);9164 isolated solar panels were installed (schools, clinics, etc.)

The Republic of Cuba has a national industry; the Ernesto Che Guevara Electronic Component Manufacturing Company of Pinar del Rio produces the photovoltaic panels with an annual output of 15 MW to service the panel assembly program. In addition, photovoltaic pumping systems, solar chargers, lighting systems and other household equipment that uses the panel as an energy source, is produced.

The installed capacity of the solar power plants today is 21.8% of the planned 700 MW by 2030. (Table 2). Today, there are four wind farms with a capacity of 11.5 MW in the country (Figure 2). Two wind farms with a total capacity of 102 MW are being built north of the Las Tunas province (Table 2) (Pedraza, 2018).

There is a wind map of Cuba which reflects that the wind resource is located mainly in the north-eastern and central parts of the country. The technical potential is assumed to exceed 1100 MW, taking into account the use of 1.5 MW wind turbines, backed by the International Consulting Garrad Hassan & Partners guarantee (Garrad Hassan Iranian branch).

Table 1. A thermoelectric power station that operates in the Cuban Republic

N	Thermoelectric Power Station	provinces	Installed Power (MW)	In use (MW)	open year
1	Mariel	Artemisa	600	300	1982
2	Antonio Maceo	Habana	64	64	1971
3	Santa Cruz	Mayabeque	300	300 +164*	1991
4	Antonio Guiteras	Matanzas	330	300	1988
5	Carlos Manuel de Céspedes	Cienfuegos	338	158	1979
6	10 de Octubre	Camagüey	360	360	1978
7	Lidio Ramón Pérez, de Faltón	Holguín	500	500	1988
8	Antonio Maceo (Renté)	Santiago de Cuba	500	400	1967

* 4 blocks with 35 MW gas turbines




Figure 1. Photovoltaic power plants installed on the territory of the Republic of Cuba. (The red dots are the solar power plants under construction and the brown dots are the solar power plants commissioned in 2020) (Pedraza, 2018).



Figure 2. Wind farms installed in the Republic of Cuba. (The red dots are the wind farms under construction, the brown dots are the wind farms in operation in 2020 and the blue dots are the wind farms being negotiated) (Pedraza, 2018).

The country has 162 hydroelectric power stations with a total installed capacity of 71.9 MW, which generated 83 GWh in 2017, of which 34 are connected to the SEN, and 128 provide isolated services to 8,486 houses and 416 economic and social goals. The Hanabanilla hydroelectric station with an installed capacity of 43 MW has the highest output (Table 2).

There are currently 57 sugar factories with a potential of 16 million tons of cane that will be ground during each harvesting period. In order to supply electricity to the sugar industry, 469.2 MW plants were installed (Figure 4 and Table 2).

The sugar industry provides for the production of medium and high pressure steam boilers at the Jesus Menendes factory in the municipality of Sagua la Grande, in the province of Villa Clara, to support the program of 19 bioelectric plants for the production of sugarcane biomass and the development of a forest biomass power plant, and also the production of components and

assemblies to enhance the integration of the bioelectric installations.

There are 6 areas of great deep sea that surround the island. The differences in the sea temperatures with the OTET technology have obvious uses. The bays from north to east coast have important potential due to the sea currents.

Figure 5 shows the behavior of the country's energy matrix in the period from 2000 to 2016. From the graph, it follows that the introduction of the power plants based on the renewable energy resources in the country is successful. According to the new government policy, an increase in the use of renewable energy sources for electricity production by 24% is expected by 2030.

The introduction of more effective technologies for capturing sunlight

On the territory of the Republic of Cuba, the solar power plants occupy the second place in the introduction and future generation of energy




Figure 3. Hydroelectric power plants installed in the Republic of Cuba. (The red dots are the hydropower plants under construction, and the black dots are the hydropower plants that may be built in the future) (Pedraza, 2018).

(table 2). This is due to a number of advantages that solar power plants have, which include:

- Solving the problems of the electricity supply in the absence of network energy sources, independence from the centralized energy sources, utility infrastructure.
- Removing the restrictions on allocated capacities.
- Energy saving.
- Conservation of territories and natural resources from laying power lines.
- Economic expediency.
- Environmental policy and environmental safety.

Today, there are two types of SES, different in the principle of generating electric energy – SES direct conversion, which use photovoltaic modules, and SES two-stage conversion. Such SES include tower and plate SES, solar concentrators. The principle of operation of such SES is based on heating the heat carrier parameters suitable for use in a turbogenerator (Alvarez, 2014).

The principle of the photoelectric SES operation is based on the direct conversion of the solar energy into the electrical energy based on the photoelectric effect (Alvarez, 2014). The classic and most common type of the SES for a direct conversion of the solar energy into the electrical energy is a stationary SES. The photovoltaic modules included in serial and parallel groups are installed at an angle equal to the geographical latitude of the area, and are oriented to the southern hemisphere.

Currently, all solar power plants operating in the Republic of Cuba have stationary solar generators and import electrical components such as inverters, regulators and transformers. However, the solar modules are assembled using the Chinese technology in the province of Pinar del Rio, Republic of Cuba.

The current technology for tracking the Sun and positioning the solar module on the brightest object is not currently used in the solar power generation systems in the Republic of Cuba. This fact is one of the main economic and technical topics of the studies currently being conducted




Figure 4. Biomass power plants installed in the Republic of Cuba. (The red dots are the built plants, and the black ones are being negotiated and designed) (Pedraza, 2018).

Table 2. Summary of Renewable Energy Generated in Cuba

Renewableenergy	Designcapacityuntil 2030	Built-in and in operation	Performance (%)
Bioelectricpowerstations	755 MWt	469,2 MWt	62 %
Photovoltaicstations	700 MWt	159 MWt	22 %
Windpowerinstallations	633 MWt	11,5 MWt	18 %
Small hydropowerplants	133MWt	68.3 MWt	51 %
Total	2221 MWt	708 MWt	32 %

in the country to evaluate this technology taking into account the climatic conditions of the region.

From the point of view of the environmental assessment of these solar systems operating in the Republic of Cuba, it can be argued that such solutions represent an environmentally friendly alternative way of generating the electrical energy.

The environmental and economic impact of these power generation systems can be estimated using several indicators, one of which is the CO₂ emissions, since for every 1 kWh of electricity generated from renewable sources, 1 kWh is no longer generated from the non-renewable energy sources.

As an example of the above, it can be said that at a solar power plant with an installed capacity of 2.5 MW in the province of Santiago de Cuba, which currently produces 3.6 GWh of energy per year, 3.7 kt CO₂ / kWh is no longer emitted into the atmosphere.

Using the following equation 1 (Alvarez et al., 2014), it is possible to theoretically calculate the decrease in the carbon dioxide concentration in the atmosphere if the concept of electricity production using the renewable resources such as solar and wind energy, biomass energy and other types of energy is applied.

$$E = (FE * EA) * 10^{-6} \quad (1)$$

Where: E – CO₂ emissions (ct CO₂ / kWh),
 FE – Emission factor (g CO₂ / kWh),
 EA – Electricity saved (kW / year).

In the recent studies conducted in the Republic of Cuba under the specific climatic conditions of the region, more efficient technologies can be used to capture the sunlight (for example, a solar tracking system), which can increase the values by 25–30% of the electricity supplied to the national power grid, which will mean a reduction of the CO₂ emissions of 4.7 ct CO₂ / kWh (Using Equation 1 with an emission factor of 1050 g CO₂/kWh).

CO₂ emissions from electricity production in the Republic of Cuba

According to the Carbon Dioxide Information Analysis Center, Environmental Sciences Division of the Oak Ridge National Laboratory (Oak Ridge National Laboratory), The CO₂ emissions generated by the Republic of Cuba between 1960–2014 averaged 26.5876 kt.

Figure 7 shows the behavior of carbon dioxide in the atmosphere that was released between 1960 and 2014, where it is obvious that the reduction in CO₂ that occurred from 1991 to 2008 was mainly due to the economic crisis faced by the Republic of Cuba at that time. After this critical period, the CO₂ emissions reached their maximum value of 38,375 kt. In 2010, they decreased again in subsequent years due to an increase in the use of the renewable energy sources in the country for electricity generation (CDIAC).


**Figure 5.** The energy matrix of the Republic of Cuba



Figure 6. CO₂ emissions emitted into the atmosphere by the Republic of Cuba (1960–2014)

According to the studies conducted by the Ministry of Energy and Mining (MINVAS) of the Republic of Cuba in 2018, the average CO₂ emission factor corresponding to the production of electricity from the non-renewable energy sources was 1,050 g/kWh. It is assumed that by 2030 this emission factor will be reduced to 993 g/kWh (Donat et al., 2014).

CONCLUSION

According to the study, it can be concluded that the policy applied by the Republic of Cuba is successful, since the country's energy matrix is being developed with the aim of increasing its efficiency and reducing the environmental pollution through the use of renewable energy sources for generating electricity. In addition, it has been noted that the CO₂ emission trend has been decreasing since 2010, which is favorable for achieving a clean environment.

On the other hand, it can be argued that the use of the solar tracking systems can further reduce the CO₂ emissions into the atmosphere, which is a positive aspect for this type of technology.

REFERENCES

1. Abramovich, B.N. (2018) Journal of Mining Institute, 229, pp. 31–41.
2. Alvarez M., Cuello N., Berigüete R. (2014) Determination of the Grid CO₂ Emission Factor for the Electrical System of the Dominican Republic. Proceeding of the 19th International Symposium on Energy & Technology Innovation Forum, Puerto Rico Energy Center-Laccci, February 20–21, 2014, Puerto Rico, pp. 1–10
3. Carbon Dioxide Information Analysis Center, Environmental Sciences Division, Oak Ridge National Laboratory, Tennessee, United States, viewed 5 January 2020, <https://www.indexmundi.com/facts/cuba/co2-emissions#EN.ATM.CO2E.KT>
4. Donat L., Velten E.K., Prah A., Duwe M., Zane E.B. (2014) Assessment of climate change policies in the context of the European Semester, Ecologic Institute – eclareon, 2014, pp. 1–18
5. Fuente: Carbon Dioxide Information Analysis Centre (CDIAC), viewed 15 January 2020, <https://elordenmundial.com/mapas/paises-emisiones-co2-1751-2016/>
6. Kirsanova, N.Y., Lenkovets, O.M., Nikulina, A.Y. Renewable energy sources (RES) as a factor determining the social and economic development of the arctic zone of the Russian Federation. Proceeding of the 18th International Multidisciplinary Scientific GeoConference Surveying Geology and Mining Ecology Management, SGEM. Albena, Bulgaria: SGEM International Scientific GeoConference, T 18, 2018, pp. 679–686.
7. Six Decades of Carbon Dioxide Concentration in the Atmosphere, National Oceanic & Atmospheric Adm. (NOAA), viewed 5 January 2020, <https://www.noaa.gov/news/global-carbon-dioxide-growth-in-2018-reached-4th-highest-on-record>
8. Pedraza J.M. (2018). Focus on Renewable Energy Source, pp. 1–59.
9. Zmami M. & Salha O.B. (2020) An empirical analysis of the determinants of CO₂ emissions in GCC countries. The International Journal of Sustainable Development and World Ecology. DOI: 10.1080/13504509.2020.1715508